

4700

4760 3763

#9

Serial No. 10/010,607  
Appl: Bruce G. Sharpe

Serial No. 10/010,607

Attention: Office of Initial Patent Examination  
Fax: 703.308.7751

**RESPONSE TO NOTICE OF CORRECTION**

Please find attached a copy of the patent specification for the above application now presented in double spacing format, as requested in your Notice of Correction issued 09 January 2002 (Office copy attached).

This facsimile consists of:

- This front page (1 page)
- Returned Office copy of Notice to Correct (1 page)
- Corrected patent specification, claims and abstract (12 pages)

**TOTAL: 14 Pages**

Kindly forward receipt acknowledgment of this response to facsimile +61.2.6291.6724, or email to: [gunther@webone.com.au](mailto:gunther@webone.com.au), or to the Address for Service in USA.

**FAX RECEIVED****FEB 21 2002****GROUP 3700**

With thanks



IP Gorman  
For Bruce George Sharpe  
C/- 2561 Verbena Drive,  
Hollywood Hills  
CA 90068

**RECEIVED****APR 09 2002****OFFICE OF PETITIONS**



## UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS  
UNITED STATES PATENT AND TRADEMARK OFFICE  
WASHINGTON, D.C. 20501  
www.uspto.gov

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAME OF APPLICANT	ATTORNEY DOCKET NUMBER
10/010,607	12/10/2001	Bruce George Sharpe	

CONFIRMATION NO. 6666

## FORMALITIES LETTER



\*OC000000007284128\*

BRUCE GEORGE SHARPE  
2561 VERBENA DRIVE  
HOLLYWOOD, CA 90068

Date Mailed: 01/09/2002

## NOTICE TO FILE CORRECTED APPLICATION PAPERS


*Filing Date Granted*

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given **TWO MONTHS** from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- A substitute specification in compliance with 37 CFR 1.52 because:
  - Line spacing on the specification, claims, or abstract is not 1 1/2 or double spaced (See 37 CFR 1.52(b)).

*A copy of this notice **MUST** be returned with the reply.*

  
Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE

RECEIVED

APR 09 2002

OFFICE OF PETITIONS